

journal homepage: www.FEBSLetters.org

Corrigendum

Corrigendum to “Rpa43 and its partners in the yeast RNA polymerase I transcription complex” [FEBS Lett. 585 (21) (2011) 3355–3359]

Frédéric Beckouët^{a,1}, Sylvie Mariotte-Labarre^a, Gérald Peyroche^{a,2}, Yasuhisa Nogi^b, Pierre Thuriaux^{a,*}^aCEA, iBiTec-S, Service de Biologie Intégrative & Génétique Moléculaire, F-91191 Gif-sur-Yvette, France^bSaitama Medical School Department of Molecular Biology, 38 Morohongo, Moroyama, Iruma-Gun, Saitama 350-04, Japan

Two tables (Tables 1 and 2) are missing in the original text.

Part 3.2:

Conversely, N-terminal deletions (rpa43-35,326, rpa43-35,281) had a wild-type growth, except for their dependency on Rpa14. They were not synthetic-lethal with rpa12D, rpa34D or rpa49D but suppressed the cold-sensitive defect of rpa49D (Table 2).

Table 1
Conservation of Pol I subunits and initiation factors. Data based on a Psi-blast survey of eukaryotic genomes (<http://blast.ncbi.nlm.nih.gov/Blast.cgi>). Rpa43 and Rpa14 alignments are provided as Supplementary data S2.

Lineages	Organisms	Rpa43	Rpa14	Rpa49	Rpa34	Rrn3 TIF-1A	Rrn7 TIF-1B	Rrn6 TIF-1C
<i>Unikonts</i>								
Fungi	<i>S. cerevisiae</i>	+	+	+	+	+	+	+
Animals	<i>H. sapiens</i>	+		+	+	+	+	+
Amoebozoa	<i>D. discoideum</i>	+		+	+	+	+	+
<i>Plantae</i>								
Plants	<i>A. thaliana</i>	+		+		+	+	+
Green algae	<i>C. reinhardtii</i>	+		+		+	+	+
<i>Others</i>								
Oomycetes	<i>P. infestans</i>	+		+		+	+	+
Apicomplexans	<i>T. gondii</i>	+				+		
Ciliates	<i>T. thermophila</i>	+		+		+		
Brown algae	<i>E. siliculosus</i>	+		+		+		
Diplomonads	<i>G. lamblia</i>	+		+		+		
Trichomonas	<i>T. vaginalis</i>	+				+		

Table 2
Synthetic growth defect between *rpa43* alleles and deletions of non-essential Pol I subunits (Rpa12, Rpa14, Rpa34, Rpa49) or of the Pol I-associated factors Hmo1 and Top1. A suppression of the cs defect of *rpa49Δ* is underscored in blue.

RPA43	WT	<i>rpa14Δ</i>	<i>rpa12Δ</i>	<i>rpa34Δ</i>	<i>rpa49Δ</i>	<i>top1Δ</i>	<i>hmo1Δ</i>
WT	++	++	+,ts	++	CS,+,ts	+	CS,+
chim1	++	-	-	ts	-	+	CS,+
chim2	+,ts	-	-	-	-	+,ts	CS,(+),ts
1, 235	++	-	-	-	-	+, (ts)	CS,+
1, 265	++	++	+,ts	++	CS,+,ts	+	CS,+
1, 281	++	++	+,ts	++	CS,+,ts	+	CS,+
35, 326	++	-	+,ts	++	+,ts	+	CS,+
35, 281	++	ts	+,ts	++	+,ts *	+	CS,+

DOI of original article: [10.1016/j.febslet.2011.09.011](https://doi.org/10.1016/j.febslet.2011.09.011)

* Corresponding author. Fax: +33 1 69 08 47 12.

E-mail address: p.thuriaux@wanadoo.fr (P. Thuriaux).¹ Present address: Department of Biochemistry, University of Oxford, Oxford OX1 3QU, United Kingdom.² Present address: Département de Biosciences, Ecole Normale Supérieure de Cachan, F-94235 Cachan cedex, France.